



SPILL CONTROL TRAYS AND PALLETS



- 1-Drum Plastic Spill Tray**
- 2-Drum Plastic Spill Tray**
- 3-Drum Plastic Spill Tray**
- 2-Drum Plastic Spill Pallet**
- 4-Drum Plastic Spill Pallet**
- Single -IBC Plastic Spill Pallet**
- Double-IBC Plastic Spill Pallet**

LILY SAFETY

United Kingdom, London
Email: enquiry@lilysafety
(+44) 07311009723




HEAVY-DUTY 1-DRUM SPILL TRAY



CODE: SC-STR1DR

Plastic spill pallets/trays are used to prevent oil runoff and keep your workplace safe and compliant. This storage pallets are 100% polyethylene construction and comply with all the current international regulations. It's heavy duty, durable and resistant to corrosion, weathering, UV rays and is compatible with all chemicals.

SPECIFICATIONS

DIMENSIONS	68 X 68 X 15 cm
STATIC LOAD	0.7 TON
DYNAMIC LOAD	0.3 TON
RACKING LOAD	N/A
PRODUCT WEIGHT	8 KG
VOLUME	43 LITERS
MATERIAL	100% polyethylene (HDPE)
RUNNER	0 LONGITUDIINAL / 0 TRANSVERS
PROCESSING	ONE TIME INJECTION-ASSEMBLED
WORKING TEMP	(-40 TO 70) C°
SIZE TOLERANCE	± 3%
FLUID OUTLET	Built-in Drain




FORKLIFT USE	✗	 ✗
FORKLIFT ENTRY	0 WAY	
HAND LIFTER	✗	 ✗
LIFTER ENTRY	0 WAY	



HEAVY-DUTY 2-DRUM SPILL TRAY

Plastic spill pallets/trays are used to prevent oil runoff and keep your workplace safe and compliant. This storage pallets are 100% polyethylene construction and comply with all the current international regulations. It's heavy duty, durable and resistant to corrosion, weathering, UV rays and is compatible with all chemicals.

SPECIFICATIONS

DIMENSIONS	132 X 68 X 15 cm
STATIC LOAD	1.5 TON
DYNAMIC LOAD	0.6 TON
RACKING LOAD	N/A
PRODUCT WEIGHT	17 KG
VOLUME	80 LITERS
MATERIAL	100% polyethylene (HDPE)
RUNNER	0 LONGITUDIINAL / 0 TRANSVERS
PROCESSING	ONE TIME INJECTION-ASSEMBLED
WORKING TEMP	(-40 TO 70) C°
SIZE TOLERANCE	± 3%
FLUID OUTLET	Built-in Drain



FORKLIFT USE	<input checked="" type="checkbox"/>	 2
FORKLIFT ENTRY	2 WAY	
HAND LIFTER	<input checked="" type="checkbox"/>	 <input checked="" type="checkbox"/>
LIFTER ENTRY	0 WAY	


HEAVY-DUTY 4-DRUM SPILL TRAY



CODE: SC-STR4DR

Plastic spill pallets/trays are used to prevent oil runoff and keep your workplace safe and compliant. This storage pallets are 100% polyethylene construction and comply with all the current international regulations. It's heavy duty, durable and resistant to corrosion, weathering, UV rays and is compatible with all chemicals.

SPECIFICATIONS

DIMENSIONS	132 X 132 X 15 cm
STATIC LOAD	3 TON
DYNAMIC LOAD	1.5 TON
RACKING LOAD	N/A
PRODUCT WEIGHT	32 KG
VOLUME	150 LITERS
MATERIAL	100% polyethylene (HDPE)
RUNNER	0 LONGITUDIINAL / 0 TRANSVERS
PROCESSING	ONE TIME INJECTION-ASSEMBLED
WORKING TEMP	(-40 TO 70) C°
SIZE TOLERANCE	± 3%
FLUID OUTLET	Built-in Drain




FORKLIFT USE	<input checked="" type="checkbox"/>		4
FORKLIFT ENTRY	4 WAY		
HAND LIFTER	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
LIFTER ENTRY	0 WAY		



HEAVY-DUTY 2-DRUM SPILL PALLET

Plastic spill pallets/trays are used to prevent oil runoff and keep your workplace safe and compliant. This storage pallets are 100% polyethylene construction and comply with all the current international regulations. It's heavy duty, durable and resistant to corrosion, weathering, UV rays and is compatible with all chemicals.

SPECIFICATIONS

DIMENSIONS	132 X 68 X 30 cm
STATIC LOAD	1.5 TON
DYNAMIC LOAD	0.6 TON
RACKING LOAD	N/A
PRODUCT WEIGHT	22 KG
VOLUME	120 LITERS
MATERIAL	100% polyethylene (HDPE)
RUNNER	0 LONGITUDIINAL / 0 TRANSVERS
PROCESSING	ONE TIME INJECTION-ASSEMPLD
WORKING TEMP	(-40 TO 70) C°
SIZE TOLERANCE	± 3%
FLUID OUTLET	Built-in Drain



FORKLIFT USE	<input checked="" type="checkbox"/>	 2
FORKLIFT ENTRY	2 WAY	
HAND LIFTER	<input checked="" type="checkbox"/>	 2
LIFTER ENTRY	2 WAY	


HEAVY-DUTY 4-DRUM SPILL PALLET



CODE: SC-SP4DR

Plastic spill pallets/trays are used to prevent oil runoff and keep your workplace safe and compliant. This storage pallets are 100% polyethylene construction and comply with all the current international regulations. It's heavy duty, durable and resistant to corrosion, weathering, UV rays and is compatible with all chemicals.

SPECIFICATIONS

DIMENSIONS	132 X 132 X 30 cm
STATIC LOAD	3 TON
DYNAMIC LOAD	1.5 TON
RACKING LOAD	N/A
PRODUCT WEIGHT	36 KG
VOLUME	220 LITERS
MATERIAL	100% polyethylene (HDPE)
RUNNER	0 LONGITUDIINAL / 0 TRANSVERS
PROCESSING	ONE TIME INJECTION-ASSEMBLED
WORKING TEMP	(-40 TO 70) C°
SIZE TOLERANCE	± 3%
FLUID OUTLET	Built-in Drain



FORKLIFT USE	<input checked="" type="checkbox"/>		4
FORKLIFT ENTRY	4 WAY		
HAND LIFTER	<input checked="" type="checkbox"/>		4
LIFTER ENTRY	4 WAY		


HEAVY-DUTY SINGLE-IBC SPILL PALLET



CODE: SC-SP1IBC

Plastic spill pallets/trays are used to prevent oil runoff and keep your workplace safe and compliant. This storage pallets are 100% polyethylene construction and comply with all the current international regulations. It's heavy duty, durable and resistant to corrosion, weathering, UV rays and is compatible with all chemicals.

SPECIFICATIONS

DIMENSIONS	138 X 138 X 90 cm
STATIC LOAD	3.6 TON
DYNAMIC LOAD	1.8 TON
RACKING LOAD	N/A
PRODUCT WEIGHT	71 KG
VOLUME	1300 LITERS
MATERIAL	100% polyethylene (HDPE)
RUNNER	0 LONGITUDIINAL / 0 TRANSVERS
PROCESSING	ROTOMOLDING
WORKING TEMP	(-40 TO 70) C°
SIZE TOLERANCE	± 3%
FLUID OUTLET	Built-in Drain



FORKLIFT USE	<input checked="" type="checkbox"/>		4
FORKLIFT ENTRY	4 WAY		
HAND LIFTER	<input checked="" type="checkbox"/>		4
LIFTER ENTRY	4 WAY		

HEAVY-DUTY DOUBLE-IBC SPILL PALLET



CODE: SC-SP2IBC

Plastic spill pallets/trays are used to prevent oil runoff and keep your workplace safe and compliant. This storage pallets are 100% polyethylene construction and comply with all the current international regulations. It's heavy duty, durable and resistant to corrosion, weathering, UV rays and is compatible with all chemicals.

SPECIFICATIONS

DIMENSIONS	220 X 130 X 50 cm
STATIC LOAD	6 TON
DYNAMIC LOAD	3 TON
RACKING LOAD	N/A
PRODUCT WEIGHT	105 KG ± 5%
VOLUME	1100 LITERS
MATERIAL	100% polyethylene (HDPE)
RUNNER	0 LONGITUDIINAL / 0 TRANSVERS
PROCESSING	ROTOMOLDING
WORKING TEMP	(-40 TO 70) C°
SIZE TOLERANCE	± 3%
FLUID OUTLET	Built-in Drain



FORKLIFT USE	✓		2
FORKLIFT ENTRY	2 WAY		
HAND LIFTER	✓		2
LIFTER ENTRY	2 WAY		